


| REVISIONS | | | | |
|-----------|------|-------------|------|----------|
| ZONE | REV. | DESCRIPTION | DATE | APPROVED |



4 PIN M12 MALE CONNECTOR
6 'O'CLOCK POSITON

PROPRIETARY AND CONFIDENTIAL

UOS: .00 = $\pm .01$
UOS: .000 = $\pm .005$
UOS: .0000 = $\pm .0005$
UOS: DRAFT ANGLE = 3°
UOS: ANGULAR: = $\pm 1/2^\circ$
UOS: FRACTIONAL: = $\pm 1/64$
UOS: FINISH = AS SHOWN

© 2010 **montalvo**
Better Web Control®
The Montalvo Corp. 50 Hutcherson Drive Gorham, ME 04038
info@montalvo.com 1-800-266-8710

TITLE: LOAD CELL ES2
DRAWN BY: GEL
CHK BY: -
DATE: 12 OCTOBER 2010
SIZE C
Prt No. 99501218
Dwg No. 2010T-069
REV -
SCALE: NONE
SHEET 1 OF 3

8

7

6

5

4

3

2

1

2010T-069 IHSNG ASSY ES2
I/HSNG ASSY ES2

SSS M5 X 8MM DIN 913 SS
(2) REQ'D

2010T-069 ES2 BODY
BODY ES2 M12

BM T2 MICRON

12503467
ENDCAP T2 SS M
REV B

SSS M5 X 5MM DIN 913 SS
(2) REQ'D

19000172
DECAL LOAD

19519835
LABEL GROUND

18000598
BHSS M4 X 8MM SS ISO 7380

18000038
WSHR STAR #10 INT

2010T-069 CONN KIT 4P
CONN KIT 4P M12 BOX

18000586
SHCS M6 X 16MM DIN 912 SS
(4) REQ'D

SHCS M8 X 12MM DIN 912 SS
(4) REQ'D

PROPRIETARY AND CONFIDENTIAL

© THE MONTALVO CORPORATION 2010
ALL RIGHTS RESERVED. ANY USE OF THIS DRAWING
OR THE INFORMATION CONTAINED HEREIN, FOR A
PURPOSE OTHER THAN AS EXPRESSLY AUTHORIZED
BY THE MONTALVO CORPORATION OR ITS SUBSIDIARY,
DANAROTA TECHNICAL, IS EXPRESSLY PROHIBITED.

UOS: .00 = ± .01
UOS: .000 = ± .005
UOS: .0000 = ± .0005
UOS: DRAFT ANGLE = 3°
UOS: ANGULAR: = ± 1/2°
UOS: FRACTIONAL: = ± 1/64
UOS: FINISH = AS SHOWN

©
2010

montalvo
Better Web Control®

The Montalvo Corp. 50 Hutcherson Drive Gorham, ME 04038
info@montalvo.com 1-800-266-8710

TITLE: LOAD CELL ES2

DRAWN BY: GEL

CHK BY: -

DATE: 12 OCTOBER 2010

SIZE

C


SCALE: NONE

Prt No. 99501218

Dwg No. 2010T-069

REV -

SHEET 2 OF 3



PROPRIETARY AND CONFIDENTIAL

© THE MONTALVO CORPORATION 2010
ALL RIGHTS RESERVED. ANY USE OF THIS DRAWING
OR THE INFORMATION CONTAINED HEREIN, FOR A
PURPOSE OTHER THAN AS EXPRESSLY AUTHORIZED
BY THE MONTALVO CORPORATION OR ITS SUBSIDIARY,
DANABOTA TECHNIC, A/S IS EXPRESSLY PROHIBITED.

UOS: .00 = $\pm .01$
UOS: .000 = $\pm .005$
UOS: .0000 = $\pm .0005$
UOS: DRAFT ANGLE = 3°
UOS: ANGULAR: = $\pm 1/2^\circ$
UOS: FRACTIONAL: = $\pm 1/64$
UOS: FINISH = AS SHOWN

©
2010

montalvo
Better Web Control®

The Montalvo Corp. 50 Hutcherson Drive Gorham, ME 04038
info@montalvo.com 1-800-266-8710

TITLE: LOAD CELL ES2

DRAWN BY: GEL

SIZE

Prt No.

99501218

Dwg No.

2010T-069

REV

-

DATE: 12 OCTOBER 2010

SCALE: NONE

SHEET 3 OF 3